

Europäisches Patentamt

European Patent Office

Office européen des brevets



EP 0 721 253 A2

(12)

#### **EUROPEAN PATENT APPLICATION**

(43) Date of publication: 10.07.1996 Bulletin 1996/28

(51) Int Cl.6: H03J 1/04

(21) Application number: 96300033.6

(22) Date of filing: 03.01.1996

(84) Designated Contracting States: DE FR GB IT

(30) Priority: 04.01.1995 US 369674 04.01.1995 US 369673 04.01.1995 US 369676

(71) Applicant: SONY ELECTRONICS INC.
Park Ridge, New Jersey 07656-8003 (US)

(72) Inventors:

Noguchi, Fujio
 Ridgewood, New Jersey 07450 (US)

White, Gail Karen
 Hackensack, New Jersey 07601 (US)

 Gioscia, Richard Mahwah, New Jersey 07430 (US)

Jordan, Peter
 New Hope, Pennsylvania 18938 (US)

 Blaszkowski, Setsuko Watanabe San Diego California 92127 (US)

 Akaiki, Kazuhiro Setagaya-Ku (JP)

 Schaffer, Mark Hackensack, New Jersey 07601 (US)

 Kotabe, Noriko Canton, Cardiff, CF5 1AG (GB)


 Otani, Takashi Soka-City, Saitama 340 (JP)

Kajiwara, Tadashi
 San Diego, California 92128 (US)

(74) Representative: Cotter, Ivan John et al
D. YOUNG & CO.
21 New Fetter Lane
London EC4A 1DA (GB)

### (54) On screen programme list display for multiple channel broadcasting systems

An easy to use on-line guide provides the user of a multiple channel television broadcast system with a wealth of programming information in a simple format that is easy to understand. The guide enables the user to easily select a particular program to watch. In particular, when the guide is presented to the user, the guide covers only a portion of the actual television screen or display. The remaining portion of the television screen continues to broadcast the audio and video of the currently selected program. As a user scans through the guide and moves the pointer from one station to another, the system responds by automatically tuning to the channel pointed to by the pointer and provides the audio and displays the video in the portion of the screen not covered by the guide. Furthermore, a written description of the program currently broadcasted on a station that the cursor currently points to is also shown. In addition, the system provides an innovative mechanism to enable the user to scan program information of channels that the user has designated as his favorite channels. In another embodiment, a program list that is oriented according to the program, instead of the channel, is presented.



Bory guide. Figure 13B is an illustrative display of a subcate-

Figure 14A is an illustrative display of a displayed the selection of categories and subcategories. Figure 13C is a descriptive flow diagram illustrating

Figure 14B is a descriptive flow diagram illustrating station index.

Aht enugi The station index of Figure 14A.

Figure 14C illustrates the selection of a station us-

Figure 15 is an example of an electronic programing the station index.

ming guide.

Figure 16A, Figure 16B and Figure 16C illustrate

Figure 17 is an illustration of the favorite station the use of a user's favorite stations function.

Figures 18A and 18B illustrate menus for setting up

of moving among channels having the same programthe user favorite stations. Figure 19 is a flow diagram illustrating the process

Figure 20 is a simple block diagram of the compoming category.

Figure 21 is an exemplary flow diagram illustrating nents of the program list.

Figure 22 is an exemplary flow diagram illustrative 25 a process for generating the program list display.

of the process for using the program list.

of one embodiment of the present invention. Figure 23 is an exemplary display of the main menu

brogram categories in one embodiment of the present Figure 24 is an example of a display used to select

Figure 25 is an illustrative display used to select invention.

Figures 27A and 27B are illustrative displays to en-Figure 26 is an illustrative display of a program list. subcategories.

able the user to purchase pay-per-view programs.

agram form in order not to obscure the present invenelectrical structures and circuits are shown in block dito practice the invention. In other instances, well known art that these specific details are not required in order vention. However, it will be apparent to one skilled in the in order to provide a thorough understanding of the insuch as menus, flowcharts and system configurations, purposes of explanation, numerous details are set forth, invention. Furthermore, in the following description, for may utilize a method and/or apparatus embodying the bility of receiving and displaying a multiplicity of stations art that other broadcast systems which have the capatem. However, it is readily apparent to one skilled in the cast system described is a direct broadcast satellite sysscribed, in these methods and apparatuses, the broadterred embodiments of the invention will now be de-Methods and apparatus in accordance with pre-

an integrated receiver/decoder 2 (IRD), a remote con-Satellite System (DSS). The system has an antenna 3, Figure 2 is a simplified diagram illustrating a Direct

> time slot. Other embodiments provide the generation of program is displayed by highlighting the corresponding cal order. The X axis displays the time or times each axis may display program titles organized in alphabetidependently of channel information. For example, the Y the Y axis displaying program information organized indisplaying a certain block of time (e.g., two hours) and tion. The guide is organized in an XY grid with the X axis vides program information and broadcast time informagram instead of the channel. In particular, the guide propresents a guide that is oriented according to the pro-In another embodiment, the present invention

> > ε

of illustrative and non-limiting example, with reference The invention will now be further described, by way gramming the user is interested in.

the program guide according to the category of pro-

to the accompanying drawings, in which:

Figure 1 is a simplified illustration of a prior art direct

Figure 2 is a simple illustration of one embodiment digital satellite system guide display.

Figure 3 is a block diagram representation of eleof the present invention.

ized to tune television stations. Figure 4 is a representation of a remote control utiments utilized in the receiver of the television signals.

lized in a remote control device. Figure 5 is a simplified block diagram of circuitry uti-

present an electronic program guide. Figure 6 illustrates the type of data utilized to

Figure 7 illustrates the pointers to the data utilized

to generate the electronic program guide.

and is to be broadcast. able the viewer to view programming that is broadcast Figure 8 illustrates a Master Guide presented to en-

ne or to switch between menus and broadcasts. out the need to navigate through multiple levels of menthe viewer to easily determine programs to watch withvideo is displayed behind the Master Guide to enable of the present invention in which a broadcast audio and Figures 9A, 9B and 9C illustrate one embodiment

the functionality provided in one embodiment of the Figure 10 is an exemplary flowchart illustrative of

Figure 11 is an illustrative display of a channel banpresent invention.

menu of one embodiment of the present invention. Figure 12A is an exemplary display of the main ner.

one embodiment of the present invention. Figure, 12B is an example of the system menu in

in one embodiment of the present invention. Figure 12C is illustrative of a custom setup menu

sages feature. Figure 12D and 12E illustrate the electronic mes-

available to the user. Figure 12F illustrates the skip stations feature

Figure 13A is an illustrative display of a category

selection guide.

non.

0\$

0ε

mitting code. The transmitting code is sent to the infrared originating device 405 through an output port and converted into an infrared signal. The infrared signal is transmitted to the IRD. The operation buttons 410 include a direction key for designating a pointer direction such as north, south, east and west, an "EPG" key, a "FAVORITE" key, a "SELECT KEY", a "MENU" key, an "EXIT" key, a ten-key numeric keypad and an "ENTER" key. The set of operation buttons 410 enable the user to select programs through the electronic programming guide.

Figure 6 is a block diagram illustration the data stored in a portion of the data buffer RAM 51. As noted above, the RAM 51 stores EPG data including guide data, channel data and program data. General information is included in the guide data, for example, the current data and time. The transponder list identifies the number of the transponder transmitting a segment. The channel list identifies the channel number of the first channel of a portion of data. The channel data includes data relating to channels, such as the channel number, channel name (i.e., the call sign of a broadcast station), logo ID (i.e., an identification of the channel logo), data ID, which is an identification of a channel number of MPEG video data or MPEG audio data, number of programs, which identifies the number of programs to be transmitted on a channel during a predetermined time frame, first program offset which identifies the offset from the header to the first channel data in a segment.

The program data includes the program title, start time of the program, time length of the program, program category such as movies, news, sports, etc., program sub-category such as drama, horror, children's movies or baseball, basketball, football for the sports category, the movie rating and program description that provides a detailed description of the program.

Figure 7 illustrates how pointers to the EPG data is sorted for display of a guide on the user's television screen. As noted above, EPG data includes guide data, channel data and program data which are stored in the Data Buffer (RAM) of IRD (as shown in Figure 3). When a viewer selects a channel, the CPU of the system determines the packet containing the channel information and extracts the transponder number from the channel information. The system front end starts tuning in the frequency of the designated transponder so as to receive the data transmitting from that transponder. If a viewer does not select any channel, the last channel is designated.

As noted above, the CPU generates a table of pointers 736 to the EPG stored in the memory. The table 736 is used for changing the order of channels or programs according to the information to be presented in the guide to the user. The table 736 includes an entry for the address pointer to the corresponding channel data and an entry to the corresponding program data.

A table for generating display information is stored in the ROM 37. Certain data from the table is read out

070406040 1 .

from the ROM 37 and stored in DRAM 25a. Preferably the data is stored in compressed form. Therefore, when a character is displayed on a screen, the compressed character array is decoded so as to generate the character to be displayed. The encoder references a dictionary which includes a set of words and frequently used portions of words and numbers corresponding to each word or portion of a word. The encoder encodes each word to each number by using the dictionary. The decoder references the same dictionary as the encoder to perform the decode function. Once decoded, each character of the decoded word includes a character code corresponding to an ASCII code. Nonvolatile memory (e.g., EEPROM 38) has two tables. The first table contains character bitmaps in the different fonts available for each character. The second table identifies the address in the first table at which to extract the character bitmap. The address is determined according to the character code. The bit map image of the character is transmitted to DRAM 25a and subsequently accessed - to display the character on the screen.

In the present embodiment, the channel data is received from a predetermined transponder and the channel number and channel name are stored in DRAM 25a. Additional channel information such as the channel logo is stored in the ROM 36. The ROM 36 preferably includes a table of Logo IDs and the address of Logo Data stored in ROM 36. Therefore, once a Logo ID is determined, the address of the Logo Data is determined, retrieved and stored in DRAM 25a.

The channel data provides the beginning address of the program data for a particular program. The actual location on the screen the program information is displayed is dependent upon the format of the guide. For example, in a time-based system, the location where the program title is displayed is determined by the start time and time length stored in the program data.

Using this information downloaded from the satellite transmission, programming and channel selection information is provided to the viewer. In the present system and method, this information is provided to the user in an innovative manner in order to enable the viewer to easily determine and select stations or programs to be viewed. For example, Figure 8 illustrates a Master Guide that provides such information as the channel call sign 810, channel number 815 in the system, the channel logo of the selected station 820, a highlight 825 indicating the location of the system pointer operable by the arrow direction buttons, a program description 830 for the program the system pointer is located at, as well as program time information 835.

This guide is superimposed on the broadcast of channel 840 at which the system pointer is located. Thus, the user not only is provided the television system data showing the television channels, times of broadcasts of programming and descriptions of programs, but is also provided the audio and video of one channel, all on the same menu level of the guide. By movement of

40

45

SZ

step 1357, the select button is entered to indicate that the movies category is selected. The system responds by displaying the subcategories for movies.

. . . . gories, to enable the user to select the programming defrom the station to station that meet the selected categramming. The guide then permits the user to move ed but is still provided information regarding other prothe user is provided the category of programs he selectlection criteria of the user. The advantage to this is that for the channels but highlights those that meet the se-1362. This display preferably includes all programming list of programs meeting that criteria is displayed, step his selection is complete, 1361. At this point a guide or button where the user can select again to indicate that arrow button then moves the display pointer to the OK fantasy Guide has been selected, step 1360. The right user then depresses the select button to show that the then used to move to the Fantasy Guide, step 1359. The the Comedy Guide is shown. The down arrow key is subcategories as shown in display of step 1358 in which play of step 1357, or the user can select one or multiple which all categories are highlighted as shown in the dis-The user then has the opportunity to select all, in

lect that station and view. broadcasted to determine whether it is desirable to sethe user can preview the audio and video currently to highlight a particular box surrounding a station icon, lustration by using up, down, right, and left arrow keys 1400 and moving the system pointer, in the present ilsibly select for viewing: Thus, using the station index determine which stations he wishes to preview and posby which the user can associate the station in order to each channel number. The icon provides a visual means fions without specifically moving sequentially through available stations and the ability to easily preview staeffective way to give the user the information regarding in Figure 14A. The station index provides a simple but index, step 30. An example of a station index is shown pressed, the system responds by providing the station Referring back to Figure 10, if the select button is

arrow keys of the remote) and the station index display the select button (for example, the center button of the finds a station he wishes to view, he simply depresses finds nothing of interest to view. However, it the  $\mu$ set on a channel by channel basis and simply exit if the he index was selected: Thus, the user can scan programs channel the system was tuned to at the time the station played is removed and the system tunes back to the the station index, the tuned signal that is currently disrent program on that channel. If the user wishes to exit the station guide such that user gets an idea of the curtelevision speakers and displaying the video beneath tuning to the channel, outputting the audio through the the system responds to the movement of the pointer by than that currently tuned to and displayed on the screen, surrounding a different station logo and channel number When the user moves the system pointer to a box

setup menu, the user can personalize guides and menus utilized when operating the broadcast system. For example, referring to Figure 12C, the custom setup menu 1270 provides options auch as the setting of farvorite stations 1275, setting default language 1280, setting stations 1275, setting default language 1280, setting stations on the stations of exiting locks to stations and limits on viewing 1290. The user also has the option of exiting the entire menu whereby the broadcast is completely displayed on the screen 1295, or going back to the system menu, Figure 12B, 1297.

nels the user is interested in. guide provides information regarding only those chanare removed from the guide. Furthermore, the custom blayed and unused areas due to the stations skipped is shorter because skipped station information is not dis-"other guides" item in the main menu. The custom guide channels: The custom guide is accessed through the gram information are only displayed for non-skipped Master Guide of Figure 8, except that channel and protem provide a custom guide in the format similar to the ekipped stations. In addition, it is preferred that the sysworks ton seob (A&I erugi7) ebiug noists and that there selected station(s) are skipped. Furthermore, it is preafter, when scanning or "channel surling" stations, the presses the selection button to select the station. Therepointer to highlight a station, e.g., station 100, and deprovided to the user. The user simply moves the system Figure 12F is illustrative of the skip stations feature

type of programming he prefers. gory more prominently, the user can easily focus on the playing the programs of the selected category/subcategram information regarding all stations; however by disguide remain the same so as to provide the user prothe remaining programs. The actual locations in the category criteria are displayed more prominently than egories as a preference, those programs that meet the egories can be selected. If the user selects certain caterwise, through manipulation of the pointer, certain catthe "all" button 1305 selects all the subcategories. Othrelated to the selected category, movies: Selection of is shown in Figure 13B, which displays subcategories a subcategory menu is displayed, an example of which series, news and shopping. Once a category is selected, 13A, exemplary categories are movies, sports specials, egories which may be distinguished. Referring to Figure shown in Figure 13A. Figure 13A is an example of caton the main menu 1201, will bring up a display such as For example, a selection of the other guides, item 1210 a particular category of programs to view on a guide. herein as "other guides" 1210, enables the user to select On the main menu an innovative feature referred to

Figure 13C illustrates utilization of the pointer to select categories and subcategories. Referring to Figure 13C, at step 1355 the other guides display of the main category is shown. The sports category is pointed to as represented by the highlight. At step 1356, the pointer represented by the highlight. At step 1356, the pointer is moved using the left arrow to the movies category. At

15

20

25

30

ods can also be used. **Figure 16C** is a block diagram illustration of still another display of favorite stations referred to as the favorite station guide. This is entered through the main menu and will now be described in detail with reference to **Figure 17**.

Referring to Figure 17, included in the favorite station guide is a wealth of information that enables the user to determine at this display information regarding the programs currently broadcast on the favorite stations. The favorite station guide is entered in through the main menu. When selected, the favorite station guide will show in the background the currently tuned station and the audio of the currently tuned station. When entering the guide, the exit to current station box 1705 is displayed as highlighted, enabling the user to immediately return by the program he was viewing at the time he entered the guide. Thus, the user has access to seven favorite stations. Each box includes the channel logo and channel number 1708-1710, and the programming currently broadcasted on those stations 1712.

The user can use the system pointer to move among the favorite stations. The system in response to the movement of the pointer will tune the system to the station the pointer is currently located at. If the user finds a channel he wishes to view after previewing using the favorite station guide, the user simply selects the station, automatically exiting the station guide, and the system responds by removing the display of his favorite station guide leaving the entire tuned video image. If the user does not wish to view any of the programs listed in the favorite station guide, the pointer is moved to the previous box and selected. The system responds by exiting the favorite station guide and also automatically tuning back to the station the system was tuned to prior to entering the guide. Thus, the user can easily scan programming on his favorite stations and either select one of these to view or go back to the station he was viewing at the time the guide was entered.

Figures 18A and 18B illustrate the menus for setting up the user favorite stations. This is entered into through the custom setup menu. Once this is selected, the display, an example of which is shown in Figure 18A, is generated. The user can then modify or setup stations to be included in his favorite stations. The favorite stations currently programmed in will be displayed for each user on this menu. The user can then select a particular user set of favorite stations and the set favorite station menu, an example of which is shown in Figure 18B, will be displayed.

Referring to **Figure 18B**, The upper portion of the menu 1850 displays the current settings of favorite stations. The lower part 1860 shows all possible stations which the user can select to update the current favorite station list. The scroll bar indicates to the user where in the table of stations the currently displayed stations are located 1865. The user has two methods to update favorite stations. The box highlighted in the favorite stations is currently selected 1850 and identifies the box

that can be modified at this point. The user can then change the station noted in that favorite station box by entering in the channel number directly using the numeric key pad on the remote control, or by moving the pointer to the station shown on the display 1860. For example, by entering in the down arrow key the user will move from the box 1863 down to the grouping 1860 where selection of a replacement favorite station can be performed. When a select button is depressed the station currently noted by the pointer will replace the favorite station 1863. This method provides a graphic presentation for users to easily identify stations by their logos to select favorite stations to utilize in the selection of programs to view. 21 11 19 14.74

In today's broadcast systems additional information such as categories of program, for example sports, movies and comedy, are provided with the transmissions of the actual broadcast. The term "channel surfing" is quite well known. When channel surfing, a viewer or user is simply using his channel "+" or "-" keys to move or surf sequentially from channel to channel in ascending numeric order or descending numeric order. In the present system, however, this technique of channel surfing is somewhat modified. This is explained with reference to the flowchart of Figure 19.

Referring to Figure 19, at step 1900, the system is currently tuned to a station broadcasting the current programming. This may be, for example, a sports program. The user may want to see what other sports programs are provided. Certain buttons on the remote may then be responsive to the user's desire to see other sports programs. These other programs may be selected through the guides and menus described previously; however, in the present embodiment, the user can utilize the pointer keys used for electronic guide keys, e.g., the pointer direction keys, to indicate to the system that the user wishes to simply channel surf among all sports programs in accordance with the direction indicated by the button depressed. Thus, if one of the arrow keys is depressed at step 1905 the system will take the determined category of the programming, step 1910, and then use the category indication to find another station having the same category of programming, step 1915, and tune to that station. The user can repeatedly perform this process until he finds a station that he wishes to view, enters in a menu or guide, or exits the system, step 1920. Thus, the guide arrow keys which are not used when the guide is not displayed on the screen, as opposed to the channel arrow keys, may provide a dual function for those viewers who wish to simply move from station to station having a certain type of programming.

Other variations are also contemplated. For example, if the control device includes 4 direction keys, right, left, up, down, the system responds to the up and down keys to perform sequential channel to channel tuning. The user uses the right and left direction keys to perform category channel to channel tuning. Additional functionality includes utilizing the electronic programming guide

selected program. step 2240, providing the user unobstructed video of the mote control device, the system will exit the program list, tor example, by depressing the select button on the reto view, step 2235. If the user selects a program to view, The user then has the opportunity to select the program tunes to the channel providing the broadcast, step 2230. a currently broadcasted program, step 2225, the system referring back to Figure 22, if the pointer is pointing to previewing in part the broadcasted channel. Therefore, casted, enabling the user to stay in the menu while still gram identified by the program list is currently broadthe system will automatically tune to a channel if the pro-

the program to view. The program to 2710, and selecting OK, enables the user to purchase ing a particular time, as evidenced by the check mark a listing of other times as shown in Figure 27B. Select-"Times" button 2705. The system responds by providing broadcast times for the selected program he selects the to Figure 27A, if the user wishes to see a listing of other gram in advance or at the time of broadcast. Referring purchase menu, the user can select to purchase the proa purchase menu is shown in Figure 27A. Using the ebouge pl broviding a purchase menu. An example of start time of a pay-per-view program, the system restep 2245, if the user moves the pointer to a program easy way to purchase pay-per-view programming. At As noted above, the program list provides the user

programs and updating the display. have broadcasts in the timetrame displayed, sorting the extracting the programs of the selected category which the corresponding direction. The system responds by of the time bar, thereby causing the time bar to scroll in the pointer to move the pointer to the extreme left or right neet moves the system pointer to the time bar and uses timetrame than that identified by the time bar 2670, the the user wishes to view the programming in a different cast he was viewing prior to entering the program list. If Figure 26) step 2255 and is returned back to the broadished reviewing the program list, he exits the list, (e.g., Heterring back to Figure 22, once the user is fin-

going description. be apparent to those skilled in the art in light of the foreous alternatives, modifications, variations, and uses will with the preferred embodiment. It is evident that numer-The invention has been described in conjunction

Claims

:to sqets user to select channels to view, comprising the a method for generating an on-screen guide for a programs are broadcasted for display on a screen, 1. In a multiple channel broadcasting system in which

vorite channel; selecting at least one channel as the user's fa-

display and displays the list generated, step 2950, to the

ming and select currently broadcasted programming to more, the user can purchase pay-per-view programcast a particular program at a particular time. Furthercategories/subcategories and channels which broadview in a clear informative format program descriptions, Once the program list is displayed, the user can

casted are identified by the left arrows 2625, 2630. time bars 2610, 2615, 2620. Programs currently broadprograms are to be broadcasted are identified by the teria and the times the programs occur. The times the 2605, sorted alphabetically, that meet the category cri-Figure 26. The program list includes a list of programs An example of a program list display is shown in

gram of Figure 22. process to the program list is illustrated by the flow diathe pointer, can be used. An exemplary user interface an arrow superimposed on the display at the location of the display. However, other types of pointers, such as iment, the pointer is reflected by a highlighted area of currence of a particular program. In the present embodview information regarding a particular program or oc-The user can manipulate the system pointer to re-

rating 2659. channel logo 2655, time of broadcast 2657 and program the channel the program will be broadcasted on 2650, the system displays subcategory of the program 2653, (2645, Figure 26). In addition, referring to Figure 26, gram information, step 2220, in the program data area trieving the program information and displaying the propoint to a different program, the system responds by reilar pointer control device. When the pointer is moved to mote or front panel, or by movement of a joyetick or simbressing the menu up, down, right, left keys on the reof the system pointer, step 2215, as is indicated by deplayed, step 2210, the system monitors the movement Referring to Figure 22, once the program list is dis-

or next broadcast of the program is displayed: mation. For example, information regarding the current used to generate the channel and program time inforprogram title 2605. In this instance a default standard is ments, the user can also move the pointer to point to the 2657 for the particular broadcast. In alternate embodi-2650, 2655 and complete program time information corresponding program and the channel information 2610, will provide the program description 2645 of the er to the position of a particular start time block, e.g., In the present embodiment, movement of the point-

ample, by manipulation of the information highlighted), By movement of the system pointer (in the present exprogram, all on the same menu level of the program list. provided the audio and video 2665 of the broadcasted 55 not only is provided the program information, but is also tion of a currently broadcasted program. Thus, the user of a channel if the system pointer is located at the loca-This program list is superimposed on the broadcast

30

35

over the broadcast on the screen, such that only a portion of the video of the broadcast is covered by the electronic program guide: wherein the user can view the electronic program guide while still receiving the audio and a portion of the video of the broadcast.

8. The method as set forth in claim 7, further comprising the steps of:

said user using a control device comprising a numeric keypad to indicate selection of a menu enabling the user to operate different functions of the system;

said system replacing the electronic program guide with a menu comprising nine elements arranged in a 3x3 matrix, said matrix corresponding to a 3x3 matrix of the numeric keypad on the control device, each of said nine elements identifying different functions of the system;

wherein the user can easily select different functions of the system.

9. In a multiple channel broadcasting system in which programs are broadcasted for display on a screen, a method for generating an on-screen guide for a user to select channels to view, comprising the steps of:

> displaying a time bar identifying times of programming on the channels in the broadcasting system; and

> said user reserving future programming at selected times to view; and

> highlighting on the time bar those times reserved by the user.

10. In a multiple channel broadcasting system in which programs are broadcasted for display on a screen, a method for viewing programming on different channels comprising the steps of:

> broadcasting a first program on a first channel, said first program of a first category of programs;

using a control device, said user using direction control means to move to another channel broadcasting a program of the first category; said system responding to the direction control means to tune to the channel broadcasting the program of the first category;

wherein the user can view successive channels broadcasting the same category of programming without using the electronic program guide.

11. A multiple channel broadcasting system compris-

ing:

a receiver for receiving broadcasting data, said receiver comprising a tuner for tuning a selected channel;

a screen for displaying video of broadcasts of programs;

at least one speaker for outputting audio of broadcasts of programs; and

an on-screen electronic program guide identifying channels in the broadcast system, said on-screen electronic program guide superimposed over a portion of video of a broadcast on a channel tuned to by the tuner such that the audio is output through the speakers and only the portion of the video of the broadcast is covered by the electronic program guide; wherein the user can view the electronic pro-

wherein the user can view the electronic program guide while still receiving the audio and a portion of the video of the broadcast.

12. A multiple channel broadcasting system comprising:

an electronic program guide comprising channels and programs on each channel, each program is identified by a category, said programs that are identified to be a selected category are highlighted;

wherein all programming can be viewed and the selected the category of programs is highlighted for easy viewing by the user.

A multiple channel broadcasting system comprising:

> a receiver for receiving broadcasting data, said receiver comprising a tuner for tuning a selected channel;


> a screen for display of broadcasts of programs, said screen displaying a first program broadcasted on a first channel, said first program of a first category;


> a user control device comprising a direction control means to move to another channel broadcasting a program of the first category; said system responding to the direction control means to tune to the channel broadcasting the program of the first category;

> wherein the user can view successive channels broadcasting the same category of programming without using the electronic program guide.

|                       |                                 |      |                 | لي           |                    |        |      |  |
|-----------------------|---------------------------------|------|-----------------|--------------|--------------------|--------|------|--|
| ſix∃                  | IIΑ                             |      | Огрес           | Sports       | Themes             | Γ.     |      |  |
|                       |                                 |      |                 | l            |                    |        | 126  |  |
| Ancient Civilizations |                                 |      | Wildlife Safari |              |                    |        | VTS  |  |
|                       |                                 |      |                 |              |                    |        | 122  |  |
|                       | tar Trek The Chase              |      |                 |              | Sta                | VTO    |      |  |
|                       |                                 |      |                 |              |                    |        | 154  |  |
|                       | ìэЯ                             | ЭЧТ  |                 |              | 19H s              | •4T    | VTO  |  |
|                       |                                 |      |                 |              |                    |        | .151 |  |
|                       |                                 |      | q               | Comedy Clu   | sunid Hiw Brisk    | )<br>) | VT D |  |
|                       |                                 |      |                 |              |                    |        | 120  |  |
|                       |                                 |      | \$0۲'           | And to sizuM | sosbiV qsA (       | qoT    | VTM  |  |
| Pamela Pr             | T                               |      |                 |              |                    |        | 671  |  |
| Seduce Me:            |                                 |      |                 | S elgionin   | duce Me: Pamela Pi | 98     | VTO  |  |
| N900:S                | <u></u>                         | 1308 |                 | M900:1       | Mq0                | 12:3   |      |  |
| 1                     | Fies Guide Spiue 12/16/94 1:54P |      |                 | oivoM        |                    |        |      |  |
|                       |                                 |      |                 |              |                    |        |      |  |

f.917 (tra roirq)











FIG. 4





DNGDOCID- -ED 072125362 1 -



EP 0 721 253 A2

---- 0110








FIG. 8




A6 .DI7












FIG. 11




FIG. 12A





FIG. 12B



Eb 0 151 523 PS





FIG. 12D






FIG. 12F




FIG. 13A

|    |               | - 15mm        | <b>5</b> 7 |              | Picar           |          | -                    | 7 |
|----|---------------|---------------|------------|--------------|-----------------|----------|----------------------|---|
|    | nə            | previous scre | əu         | return to ti | lections and    | əs       | Save your            |   |
|    | Mone          | . [           | <u></u>    | пэнто        | WESTERN         | ^        | FICTION              |   |
| بد | IIA           | ROMANCE       | ^          | MUSICAL      | √ HOPPIOH       | ^        | YSATNA3              |   |
|    | csucej<br>OK  |               | ^          | СОМЕДУ       | CHILDREN        | <u> </u> | ACTIONY<br>ADVENTURA |   |
| #  |               |               | •          | •            | ory for the pro |          |                      |   |
|    | MA 00:S1 15 9 | S NOW SE      | AC<br>1    | POSTEGI      | WONES SO        |          |                      |   |
|    | 35            | à .           |            |              |                 |          |                      |   |
|    |               | •             |            | <u> </u>     |                 | ₩        |                      |   |

FIG. 13B





FIG. 13C



EP 0 721 253 A2




FIG. 14B

FIG. 14C




FIG. 15




FIG. 16A




FIG. 16B




FIG. 16C




FIG. 17







FIG. 18A




4



EP 0 721 253 A2





Leginardonimien frankris in neverselikalik i metydige






FIG. 22

FIG. 24










FIG. 25





EP 0 721 253 A2




FIG. 27B

# THIS PAGE BLANK (USPTO)

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

| Defects in the images include but are not limited to the items checked: |  |  |  |  |
|---|--|--|--|--|
| ☐ BLACK BORDERS   |  |  |  |  |
| $\square$ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES                         |  |  |  |  |
| ☐ FADED TEXT OR DRAWING   |  |  |  |  |
| ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING                                  |  |  |  |  |
| ☐ SKEWED/SLANTED IMAGES   |  |  |  |  |
| ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS                                  |  |  |  |  |
| ☐ GRAY SCALE DOCUMENTS  |  |  |  |  |
| ☐ LINES OR MARKS ON ORIGINAL DOCUMENT                                   |  |  |  |  |
| $\square$ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY         |  |  |  |  |
| ☐ OTHER:  |  |  |  |  |

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

HIS PAGE BLANK (USPTO)